ϵ

DECLARATION OF PERFORMANCE

DOP DRY2022

1. Unique identification code of the product-type or product family:

LVT DRYBACK

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

LVT Dryback (2-5 mm thickness)

3. Intended uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

For use as floorcovering(s) within a building, according to the manufacturer's specifications in accordance with EN 14041:2004 + AC:2006

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Lamett Europe NV, Ter Donkt 2, B-8540 Deerlijk, Belgium

5. Where applicable, name and contract address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

6. System of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: Notified testing laboratory performed the determination of the product type testing (based on sampling carried out by manufacturer) and issued the test report(s):

NB N° 1020 - TZUS-TECHNICKY A ZKUSEBNI USTAV STAVEBNI PRAHA s.p.

8. Declared performance

| Essential characteristic | Performance | Harmonised technical specification |
|------------------------------------|---------------------|------------------------------------|
| Reaction to fire EN 13501-1 | B _{fi} -s1 | EN 14041:2004 + AC:2006 |
| Content of Pentachlorophenol | NPD | EN 14041:2004 + AC:2006 |
| Formaldehyde emissions EN 717-1 | E1 HCHO | EN 14041:2004 + AC:2006 |
| Slip resistance EN 13893 | DS | EN 14041:2004 + AC:2006 |
| Electrical behaviour (dissipative) | NPD | EN 14041:2004 + AC:2006 |
| Electrical behaviour (conductive) | NPD | EN 14041:2004 + AC:2006 |
| Electrical behaviour (antistatic) | NPD | EN 14041:2004 + AC:2006 |
| Thermal conductivity EN 12667 | 0.121 W/mK | EN 14041:2004 + AC:2006 |
| Water-tightness | Not applicable | |

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Bruno Descamps, CEO

(name and function)

Deerlijk, 26/01/2023

(place and date of issue) (signature)